J. Field Ornithol. 75:414–422, 2004

Index to Volume 75

Compiled by Mary Bomberger Brown

Accentor,
  Alpine, see *Prunella collaris*
Accipiter cooperii, 90, 92, 337, 340, 341
A. striatus, 386–393
Acrocephalus sechellensis, 183
Actitis macularia, 227, 228
Aegolius acadicus, 193, 194
A. funereus, 193
Agelaius phoeniceus, 49–50, 116, 117, 118, 122, 168, 309, 399, 401
Aimophila spp. 51
Aimophila aestivalis, 51–52, 359–363
A. quinguestriata, 51
Aix sponsa, 211, 212
Alaemon alaudipes, 297
Alaska, 40–48, 134
Alberta, 146–147
Alisauskas, R. T., 209–217
Amazon,
  Red-tailed, see *Amazona brasiliensis*
Amazona spp., 73
Amazona brasiliensis, 67–73
Amazonia, 176–182
'Amakihi,
  Hawaiian, see *Hemignathus virens virens*
Ammodramus henslowii, 362
Amphispiza bilineata, 303–311
Anas spp., 212
Anas acuta, 212
A. americana, 212
A. clypeata, 212
A. crecca, 212, 214
A. cyanoptera, 212
A. discors, 212
A. fulvigula, 212
A. penelope, 212, 214, 404, 407
A. platyrhynchos, 212, 383, 404–408
A. querquedula, 212
A. rubripes, 212
A. strepera, 212, 407
Ani,
  Smooth-billed, see *Crotophaga ani*
annual cycles, 1–17
Anser albifrons, 212
A. a. flavirostris, 405
A. anser, 404–408
A. canagicus, 212
A. fabalis, 212
Anseranas semipalmata, 214
Antbird,
  Black-faced, see *Myrmoborus myotherinus*
  Spotted. see *Hylophylax n. naevioides*
  White-browed, see *Myrmoborus leucophrys*
Anthony, R. M., 40–48
Anthus spinoletta, 297, 301
Aphelocoma californica, 89, 90, 92, 93, 94, 337, 339, 340, 341
A. coerulescens, 49–50
Aquila chrysaetos, 379, 380
Ara spp., 73
Ardea alba, 266–280
A. cinerea, 173
A. herodias, 379, 380, 380
Ardeola ralloides, 172–175
Arenaria interpres, 223, 227, 228, 229, 317, 319, 324, 325, 326, 327
Argentina, 364–371
Arizona, 303–311
Arsenault, D. P., 257–266
Arthur Kill (New York–New Jersey), 266–280
Asio flammeus, 193, 379, 380, 381
A. otus, 103
A. stygius, 176–182
Athene cunicularia, 193, 288–295
Australia, 157–164
Avocet,
  American, see *Recurvirostra americana*
  Pied, see *Recurvirostra avosetta*
Aythya affinis, 212
A. americana, 212
A. collaris, 212, 214
A. ferina, 212, 407
A. fuligula, 212
A. marila, 212
A. valissineria, 212
Baarspul, T., 196–199
Bahamas, 18–30
Bahn, V., 53–66
Bananaquit, see *Coereba flaveola*
Barber, C. A., 152–156
Barbraud, C., 172–175
Battley, P. F., 157–164
Belthoff, J. R., 288–295
Berger, D. D., 386–393
biogeography, 18–30
Blackbird,
  Brewer's, see *Euphagus cyanocephalus*
  Red-winged, see *Agelaius phoeniceus*
  Yellow-headed, see *Xanthocephalus xanthocephalus*
blood sampling, 281–287
Bluebird,
  Mountain, see *Sialia currucoides*
  Western, see *Sialia mexicana*
Blums, P., 209–217
Bobwhite,
  Northern, see *Colinus virginianus*
body size/mass, 386–393
Bombycilla cedrorum, 116,117, 118, 122
Borges, S. H., 176–182
Bosque, C., 1–17
Bowman, T., 209–217
Brachyramphus marmoratus, 53–66
Brady, R. S., 288–295
Brant,
  Atlantic, see *Branta bernicla*
  Black, see *Branta bernicla nigricans*
Branta bernicla, 212
B. b. nigricans, 212

J. Field Ornithol. 75:414–422, 2004

Index to Volume 75

Compiled by Mary Bomberger Brown

Accentor,
  Alpine, see *Prunella collaris*
Accipiter cooperii, 90, 92, 337, 340, 341
A. striatus, 386–393
Acrocephalus sechellensis, 183
Actitis macularia, 227, 228
Aegolius acadicus, 193, 194
A. funereus, 193
Agelaius phoeniceus, 49–50, 116, 117, 118, 122, 168, 309, 399, 401
Aimophila spp. 51
Aimophila aestivalis, 51–52, 359–363
A. quinguestriata, 51
Aix sponsa, 211, 212
Alaemon alaudipes, 297
Alaska, 40–48, 134
Alberta, 146–147
Alisauskas, R. T., 209–217
Amazon,
  Red-tailed, see *Amazona brasiliensis*
Amazona spp., 73
Amazona brasiliensis, 67–73
Amazonia, 176–182
'Amakihi,
  Hawaiian, see *Hemignathus virens virens*
Ammodramus henslowii, 362
Amphispiza bilineata, 303–311
Anas spp., 212
Anas acuta, 212
A. americana, 212
A. clypeata, 212
A. crecca, 212, 214
A. cyanoptera, 212
A. discors, 212
A. fulvigula, 212
A. penelope, 212, 214, 404, 407
A. platyrhynchos, 212, 383, 404–408
A. querquedula, 212
A. rubripes, 212
A. strepera, 212, 407
Ani,
  Smooth-billed, see *Crotophaga ani*
annual cycles, 1–17
Anser albifrons, 212
A. a. flavirostris, 405
A. anser, 404–408
A. canagicus, 212
A. fabalis, 212
Anseranas semipalmata, 214
Antbird,
  Black-faced, see *Myrmoborus myotherinus*
  Spotted. see *Hylophylax n. naevioides*
  White-browed, see *Myrmoborus leucophrys*
Anthony, R. M., 40–48
Anthus spinoletta, 297, 301
Aphelocoma californica, 89, 90, 92, 93, 94, 337, 339, 340, 341
A. coerulescens, 49–50
Aquila chrysaetos, 379, 380
Ara spp., 73
Ardea alba, 266–280
A. cinerea, 173
A. herodias, 379, 380, 380
Ardeola ralloides, 172–175
Arenaria interpres, 223, 227, 228, 229, 317, 319, 324, 325, 326, 327
Argentina, 364–371
Arizona, 303–311
Arsenault, D. P., 257–266
Arthur Kill (New York–New Jersey), 266–280
Asio flammeus, 193, 379, 380, 381
A. otus, 103
A. stygius, 176–182
Athene cunicularia, 193, 288–295
Australia, 157–164
Avocet,
  American, see *Recurvirostra americana*
  Pied, see *Recurvirostra avosetta*
Aythya affinis, 212
A. americana, 212
A. collaris, 212, 214
A. ferina, 212, 407
A. fuligula, 212
A. marila, 212
A. valissineria, 212
Baarspul, T., 196–199
Bahamas, 18–30
Bahn, V., 53–66
Bananaquit, see *Coereba flaveola*
Barber, C. A., 152–156
Barbraud, C., 172–175
Battley, P. F., 157–164
Belthoff, J. R., 288–295
Berger, D. D., 386–393
biogeography, 18–30
Blackbird,
  Brewer's, see *Euphagus cyanocephalus*
  Red-winged, see *Agelaius phoeniceus*
  Yellow-headed, see *Xanthocephalus xanthocephalus*
blood sampling, 281–287
Bluebird,
  Mountain, see *Sialia currucoides*
  Western, see *Sialia mexicana*
Blums, P., 209–217
Bobwhite,
  Northern, see *Colinus virginianus*
body size/mass, 386–393
Bombycilla cedrorum, 116,117, 118, 122
Borges, S. H., 176–182
Bosque, C., 1–17
Bowman, T., 209–217
Brachyramphus marmoratus, 53–66
Brady, R. S., 288–295
Brant,
  Atlantic, see *Branta bernicla*
  Black, see *Branta bernicla nigricans*
Branta bernicla, 212
B. b. nigricans, 212

B. canadensis, 212, 214
B. c. occidentalis, 40–48
B. leucopsis, 405, 407
B. sandwicensis, 214
Brazil, 67–73, 218–222
British Columbia, 53–66, 233, 239–256
brood parasitism, 49–50, 152–156, 165–171, 303–311
Brosius, C. N., 183–187
Brown, G. A., 239–256
Bruch, J. C., 183–187
Bruner, A. E., 134–135
Bruner, P. L., 134–135
Brzorad, J. N., 266–280
Bubo virginianus, 193, 194
Bubulcus ibis, 173
Bucephala albeola, 212
B. clangula, 212
B. islandica, 212
Budgerigar, see *Melopsittacus undulatus*
Bufflehead, see *Bucephala albeola*
Bullfinch,
Greater Antillean, see *Loxigilla violacea*
Bunting,
Indigo, see *Passerina cyanea*
Reed, see *Emberiza schoeniclus*
Burger, A. E., 53–66
Burt, D. B., 74–78
Buteo buteo, 405
B. jamaicensis, 382
B. swainsoni, 377
Butler, D. A., 372–375
Buzzard,
Common, see *Buteo buteo*
Cacholote,
Brown, see *Pseudoseisura lophotes*
Cairina moschata, 399
Calidris alba, 227, 228
C. alpina, 405
C. canutus, 157–164, 229
C. minutilla, 227, 228
C. pusilla, 227, 228
C. ruficollis, 157–164
C. tenuirostris, 157–164
California, 89–95
Calliphlox evelynae, 22, 26
Callo, P. A., 200–202
Camargue (France), 172–175
Campephilus imperialis, 96
Campylorhynchus brunneicapillus, 297
Canvasback, see *Aythya valissineria*
Caracara,
Chimango, see *Milvago chimachima (chimango)*
Carvalhaes, A., 176–182
Catbird,
Gray, see *Dumetella carolinensis*
Cathartes aura, 21, 382
Catharus fuscescens, 116, 117, 122, 168, 201
Catoptrophorus semipalmatus, 227, 228, 383
Charadrius melodus, 227, 228
C. semipalmatus, 227, 228
Chat,
Yellow-breasted, see *Icteria virens*
Chávez-León, G., 345–352
Chen caerulescens, 212
C. rossi, 214
Chickadee,
Black-capped, see *Poecile atricapillus*
Chile, 188–191
Chlorostilbon ricardii, 22, 138–139
Circus aeruginosus, 405
C. cyaneus, 379, 380, 381, 382
Clamator spp. 49
Clamator glandarius, 50
Clangula spp., 212
Clangula hyemalis, 212
Clark, R. G., 209–217
Clawson, R. L., 123–133
Coccyzus minor, 22
Cockatiel, see *Nymphicus hollandicus*
Coereba flaveola, 22, 23, 27
Cohez, D., 172–175
Colaptes auratus, 257–265
Colinus virginianus, 269, 372–375
Collazo, J. A., 296–302
Colorado, 192
Columba leucocephala, 22, 23, 27, 28
C. palumbus, 15–16
Columbina (*Scardafella*) *minuta*, 1–17
C. passerina, 22
C. squammata, 1–17
C. talpacoti, 1–17
Conley, K. J., 266–280
Connecticut, 223–231
Conner, R. N., 74–78
Contopus spp. 165, 167, 169
Contopus caribaeus, 22, 140–141
C. cooperi, 165, 166, 169
C. pertinax, 166, 169
C. sordidulus, 165, 166, 168, 169
C. virens, 122, 165–171
cooperative breeding, 74–78
Coot,
American, see *Fulica americana*
Eurasian, see *Fulica atra*
Copper River Delta (Alaska), 41
Corvus brachyrhynchos, 90, 92, 337, 339, 340, 377
C. corax, 90, 92, 379, 380, 381
Coturnix spp. 50
Coturnix japonica, 189
Cougill, S., 67–73
Cowbird,
Bronzed, see *Molothrus aeneus*
Brown-headed, see *Molothrus ater*
Shiny, see *Molothrus bonariensis*
Cox, J. A., 359–363
Crane,
Sandhill, see *Grus canadensis*
Creeper,
Maui, see *Paroreomyza montana*
Crotophaga ani, 22, 26
Crow,
American, see *Corvus brachyrhynchos*
Cuba, 136–145
Cuckoo,
Great Lizard, see *Saurothera merlini*
Great Spotted, see *Clamator glandarius*
Mangrove, see *Coccyzus minor*
Curlew,

Bristle-thighed, see *Numenius tahitiensis*
Cyanocitta cristata, 49–50, 51, 130, 201, 337
Cyanocorax yncas, 49
Cygnus buccinator, 46
C. columbianus, 214
C. cygnus, 214
C. olor, 214
Czarnowski, M. R., 394–403
Dawson, R. D., 232–238
Dekkers, T., 196–199
Delichon urbica, 281
Delmarva Peninsula (Virginia), 319
Delta Marsh (Manitoba), 113–122, 165–171
Dendragapus obscurus, 240
Dendrocygna autumnalis, 212
D. bicolor, 212
Dendroica cerulean, 130
D. chrysoparia, 309, 337–344
D. discolor, 118
D. kirtlandii, 309
D. petechia, 22, 23, 27, 28,116, 117, 118, 122, 168, 169, 307
D. pinus, 22, 27
D. pityophila, 27
Dendrortyx barbatus, 350
D. leucophrys, 350, 351
D. macroura, 345–352
DeSante, D. F., 136–145
Deutschman, D. H., 89–95
diet, 196–199, 218–222, 223–231, 266–280, 296–302, 372–375
distribution, 239–256, 345–352, 359–363
Dove,
Mourning, see *Zenaida macroura*
Scaled, see *Columbina squammata*
Zenaida, see *Zenaida aurita*
Dowell, S. D., 372–375
Dowitcher,
Short-billed, see *Limnodromus griseus*
Drycopus pileatus, 264
Duck,
American Black, see *Anas rubripes*
Black-bellied Whistling, see *Dendrocygna autumnalis*
Fulvous Whistling, see *Dendrocygna bicolor*
Harlequin, see *Histrionicus histrionicus*
Long-tailed, see *Clangula hyemalis*
Mottled, see *Anas fulvigula*
Muscovy, see *Cairina moschata*
Ring-necked, see *Aythya collaris*
Ruddy, see *Oxyura jamaicensis*
Tufted, see *Aythya fuligula*
Wood, see *Aix sponsa*
Dumetella carolinensis, 116, 117, 118, 122
Dunlin, see *Calidris alpina*
Dutch Wadden Sea (Netherlands), 197
Eagle,
Bald, see *Haliaeetus leucocephalus*
Golden, see *Aquila chrysaetos*
ectoparasites, 232–238
egg laying, 113–122, 196–199, 209–217
egg size, 209–217
Egret,
Cattle, see *Bubulcus ibis*
Great, see *Ardea alba*
Little, see *Egretta garzetta*
Snowy, see *Egretta thula*
Egretta garzetta, 173
E. thula, 266–280, 379, 380, 381
Eider,
Common, see *Somateria mollissima*
King, see *Somateria spectabilis*
Spectacled, see *Somateria fischeri*
Steller's, see *Somateria stelleri*
Elanus caeruleus, 221
E. leucurus, 218–222
E. notatus, 221
Emberiza schoeniclus, 155
Emerald,
Cuban, see *Chlorostilbon ricardii*
Empidonax alnorum, 116, 117, 118, 122, 146–151
E. minimus, 116, 117, 118, 122, 168
E. oberholseri, 114
E. trailli, 90, 91
E. virescens, 123–133
Emrick, V. R., 51–52
energetics, 266–280
Enkerlin-Hoeflich, E., 96–103
Erithacus rubecula, 297, 301
Erwin, R. M., 317–329
Eudocimus albus, 383
Eugralla paradoxa, 189
Euphagus cyanocephalus, 116, 117, 122
extra-pair paternity/copulation, 152–156, 394–403
Faaborg, J., 123–133, 337–344
Fairy-Wren,
Splendid, see *Malurus splendens melanotus*
White-winged, see *Malurus leucopterus luconotes*
Falco sparverius, 22, 379, 380
F. tinnunculus, 405
Ficedula hypoleuca, 282, 297
Finch,
Zebra, see *Taeniopygia guttata*
Fisher, A. L., 79–88
Fleischer, T. L., 49–50
Flemming, S. P., 79–88
Flicker,
Northern, see *Colaptes auratus*
flocking, 404–408
Florida, 49–50, 359–363
Flycatcher,
Acadian, see *Empidonax virescens*
Alder, see *Empidonax alnorum*
Dusky, see *Empidonax oberholseri*
Dusky-capped, see *Myiarchus tuberculifer*
LaSagra's, see *Myiarchus sagrae*
Least, see *Empidonax minimus*
Olive-sided, see *Contopus cooperi*
Pied, see *Ficedula hypoleuca*
Willow, see *Empidonax trailli*
Fondell, T. F., 40–48
foraging, 223–231, 266–280, 296–302
Forpus passerinus, 72
Fort Hood (Texas), 338
Fowl,
Guinea, see *Numida meleagris*
France, 172–175
Fulica americana, 383
F. atra, 407

Gadwall, see *Anas strepera*
Gallus domesticus, 214
G. gallus, 401
García-Amado, M. A., 1–17
Garganey, see *Anas querquedula*
Gauthier-Clerc, M., 172–175
Gavia pacifica, 214
G. stellata, 214
Geococcyx californianus, 90, 91–92, 377, 339, 340, 341
Georgia, 359–363
Geothlypis rostrata, 22
G. trichas, 51–52, 155
Germany, 404–408
Glaucidium brasilianum, 176–182
G. hardyi (minutissimum), 177, 178, 180
G. siju, 138
Gnatcatcher,
Blue-gray, see *Polioptila caerulea*
Cuban, see *Polioptila lembeyei*
Godwit,
Bar-tailed, see *Limosa lapponica*
Golden-Plover,
American, see *Pluvialis dominica*
Eurasian, see *Pluvialis apricaria*
Pacific, see *Pluvialis fulva*
Goldeneye,
Barrow's, see *Bucephala islandica*
Common, see *Bucephala clangula*
gonadal/testicular cycles, 1–17
Goose
Barnacle, see *Branta leucopsis*
Bean, see *Anser fabalis*
Canada, see *Branta canadensis*
Dusky Canada, see *Branta canadensis occidentalis*
Emperor, see *Anser canagicus*
Greater Snow, see *Chen caerulescens*
Greater White-fronted, see *Anser albifrons*
Greylag, see *Anser anser*
Lesser Snow, see *Chen caerulescens*
Magpie, see *Anseranas semipalmata*
Ross', see *Chen rossi*
White-fronted, see *Anser albifrons flavirostris*
Grackle,
Common, see *Quiscalus quiscula*
Grand, J. B., 40–48
Grassquit,
Black-faced, see *Tiaris bicolor*
Cuban, see *Tiaris canora*
Yellow-faced, see *Tiaris olivacea*
Great Smoky Mountains, 298
Green, M. L., 394–403
Groombridge, J. J., 183–187
Ground-Dove,
Common, see *Columbina passerine*
Plain-breasted, see *Columbina minuta*
Ruddy, see *Columbina talpacoti*
Grouse,
Blue, see *Dendragapus obscurus*
Grus canadensis, 214, 379, 380, 381
Guantanamo Bay (Cuba), 136–145
Gull,
Black-headed, see *Larus ridibundus*
California, see *Larus californicus*
Franklin's, see *Larus pipixcan*
Glaucous, see *Larus hyperboreus*
Glaucous-winged, see *Larus glaucescens*
Herring, see *Larus argentatus*
Laughing, see *Larus atricilla*
Mew, see *Larus canus*
Ring-billed, see *Larus delawarensis*
Sabine's, see *Xema sabini*
Haematopus ostralegus, 135
H. palliatus, 223, 227, 228, 229, 230, 317–329
Hafner, H., 172–175
Haliaeetus leucocephalus, 40–48
Harrier,
Marsh, see *Circus aeruginosus*
Northern, see *Circus cyaneus*
Harrington, B. A., 223–231
Hassell, C. J., 157–164
Hawaii, 134–135, 183–187
Hawk,
Cooper's, see *Accipiter cooperii*
Red-tailed, see *Buteo jamaicensis*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsoni*
Helmitheros vermivorus, 123–133
Hemignathus virens virens, 183, 186
Henriques, L. M., 176–182
Heron,
Black-crowned Night, see *Nycticorax nycticorax*
Great Blue, see *Ardea herodias*
Grey, see *Ardea cinerea*
Squacco, see *Ardeola ralloides*
Himantopus mexicanus, 376–385
Hirundo daurica, 281
H. rustica, 116, 117, 118, 122, 168, 281
Histrionicus histrionicus, 212, 214
Hoopoe-Lark, see *Alaemon alaudipes*
Horn, A. G., 353–358
Howell, C. A. 123–133
Huet-Huet,
Chestnut-throated, see *Pteroptochos castaneus*
Hussell, D. J. T., 353–358
Hylocichla mustelina, 32, 33, 34, 36, 37, 123–133, 296–302
Hylophylax n. naevioides, 14
Ibis,
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
Icteria virens, 89, 90, 92, 93
Icterus dominicensis, 23, 144
I. galbula, 116, 117, 118, 122
I. parisorum, 144
I. spurious, 116, 117, 122
Idaho, 288–295
inbreeding, 353–358
Jaeger,
Parasitic, see *Stercorarius parasiticus*
Jay,
Blue, see *Cyanocitta cristata*
Green, see *Cyanocorax yncas*
Johnson, M. J., 303–311
Johnson, O. W., 134–135
Johnson, P. M., 134–135
Jones, S. R., 359–363
Kaspar, J. L., 386–393
Kayser, Y., 172–175

Kestrel,
American, see *Falco sparverius*
Eurasian, see *Falco tinnunculus*
Kiff, L., 209–217
Kingbird,
Eastern, *Tyrannus tyrannus*
Loggerhead, see *Tyrannus caudifasciatus*
Western, see *Tyrannus verticalis*
Kirkpatrick, W. E., 330–336
Kite,
Australian Black-shouldered, see *Elanus notatus*
Black-shouldered (Black-winged), see *Elanus caeruleus*
White-tailed, see *Elanus leucurus*
Klaassen, M., 196–199
Knot,
Great, see *Calidris tenuirostris*
Red, see *Calidris canutus*
Koolhaas, A., 157–164
Kus, B. E., 89–95
Lagopus leucurus, 239
L. l. saxatilis, 239–256
Lapwing, see *Vanellus vanellus*
Larus argentatus, 382
L. atricilla, 322, 382
L. californicus, 377, 379, 380, 381
L. canus, 214
L. delawarensis, 379, 380, 381
L. glaucescens, 41
L. hyperboreus, 214
L. pipixcan, 379, 380, 382
L. ridibundus, 196–199, 405
Lein, M. R., 146–151
Leonard, M. L., 353–358
Lepage, D., 353–359
Limnodromus griseus, 227, 228
Limosa lapponica, 157–164
Linkhart, B. D., 192–195
Lombardo, M. P., 394–403
longevity, 134–135, 192–195
Loon,
Pacific, see *Gavia pacifica*
Red-throated, see *Gavia stellata*
Lophodytes cucullatus, 212
Lophosthrix cristata, 177, 178
Louisiana, 75
Lovell, S. F., 146–151
Lowe, T. J., 330–336
Loxigilla violacea, 22
Loxioides bailleui, 183
Maccarone, A. D., 266–280
Magpie,
Black-billed, see *Pica pica (hudsonia)*
Yellow-billed, see *Pica nuttalli*
Major, D. L., 152–156
Malcolm, T. R., 183–187
Mallard, see *Anas platyrhynchos*
Mallory, M. L., 209–217
Malurus spp. 396, 397
Malurus leucopterus luconotes, 399
M. splendens melanotus, 399
Manitoba, 113–122, 165–171
Manly, B. F. J., 40–48
Margarops fuscatus, 22, 27, 28
Marone, L., 364–371
Marsden, S. J., 67–73
Martin,
House, see *Delichon urbica*
Martin, K., 239–256
Martínez, J., 281–287
Massey, J. G., 183–187
Maui (Hawaii), 184
McAndrews, A., 136–145
McCormick, J. R., 74–78
McLaren, C. M., 165–171
McMaster, D. G., 113–122
Meadowlark,
Western, see *Sturnella neglecta*
Mednis, A., 209–217
Meleagris gallopavo, 334, 399
Melamprosops phaeosoma 183, 184, 186
Melanerpes formicivorus, 210, 214, 257–265
M. superciliaris, 22, 140
Melanitta fusca, 212
M. nigra, 212
Melopsittacus undulatus, 49–50
Melospiza georgiana, 362
M. lincolnii, 362
M. melodia, 116, 117, 122, 168, 308, 362
M. m. euphonia, 153
M. m. melodia, 152–156
M. m. morphna, 153
Merganser,
Common, see *Mergus merganser*
Hooded, see *Lophodytes cucullatus*
Red-breasted, see *Mergus serrator*
Mergus merganser, 212, 214
M. serrator, 212
Merino, S., 281–287
Mexico, 96–103, 345–352
Mezquida, E. T., 364–371
Michigan, 395
Michoacán (Mexico), 346
Micrathene whitney, 193
migration, 223–231, 386–393
Milvago chimachima (chimango), 71, 369
mimicry, 51–52
Mimus gundlachii, 22, 26, 27
M. polyglottos, 22, 26, 49–50
Missouri, 123–133
Mockingbird,
Bahama, see *Mimus gundlachii*
Northern, see *Mimus polyglottos*
Molothrus aeneus, 49, 165
M. ater, 49–50, 90, 113, 115, 116, 117, 122, 165–171, 303–311, 337, 338, 340, 341, 369
M. bonariensis, 49, 369
molt, 1–17, 136–145
Monte Desert (Argentina), 364–371
Monterrubio-Rico, T., 96–103
Moulton, C. E., 288–295
Mueller, H. C., 386–393
Mueller, N. S., 386–393
Murphy, M. T., 18–30
Murray, R. L., 51–52
Murrelet,
Marbled, see *Brachyramphus marmoratus*
Myiarchus spp.,141
Myiarchus sagrae, 22, 141

M. tuberculifer, 141
myopathy, 157–164
Myrmoborus leucophrys, 181
M. myotherinus, 181
Nene, see *Branta sandwicensis*
nest predation, 40–48, 89–95, 188–191, 200–202, 337–344, 364–371
nest-searching/monitoring, 31–39, 123–133, 172–175
nesting habitat, 53–66, 79–88, 96–103, 176–182, 257–265, 317–329
Neudorf, D. L. H., 113–122
Nevada, 386–393
New Jersey, 266–280
New Mexico, 257–265
New York, 266–280
Newfoundland, 79–88
Nordfriesland (Germany), 405
North Andros Island (Bahamas), 18–30
North Carolina, 298, 328
Nova Scotia, 153, 353–358
Numenius tahitiensis, 135
Numida meleagris, 269
Nuthatch,
  Brown-headed, see *Sitta pusilla*
Nyctea scandiaca, 193
Nycticorax nycticorax, 173, 379, 380, 381, 382
Nymphicus hollandicus, 49–50
Oahu (Hawaii), 134
Oenanthe oenanthe, 297, 301
Okada, M. M., 183–187
Ontario, 353–358
Oreortyx pictus, 351
Oriole,
  Baltimore, see *Icterus galbula*
  Black-cowled (Greater Antillean), see *Icterus dominicensis*
  Orchard, see *Icterus spurious*
  Scott's, see *Icterus parisorum*
Osprey, see *Pandion haliaetus*
Otus spp. 177
Otus asio, 193, 194
O. choliba, 176–182
O. flammeolus, 192–195, 257–265
O. kennicottii, 193, 194
O. watsonii, 176–182
Ovenbird, see *Seiurus aurocapillus*
Owl,
  Barn, see *Tyto alba*
  Barred, see *Strix varia*
  Black-banded, see *Strix huhula*
  Boreal, see *Aegolius funereus*
  Burrowing, see *Athene cunicularia*
  Crested, see *Lophostrix cristata*
  Eastern Screech, see *Otus asio*
  Elf, see *Micrathene whitneyi*
  Flammulated, see *Otus flammeolus*
  Great Gray, see *Strix nebulosa*
  Great Horned, see *Bubo virginianus*
  Long-eared, see *Asio otus*
  Mottled, see *Strix virgata*
  Saw-whet, see *Aegolius acadicus*
  Short-eared, see *Asio flammeus*
  Snowy, see *Nyctea scandiaca*
  Spectacled, see *Pulsatrix perspicillata*
  Spotted, see *Strix occidentalis caurina*
  Stygian, see *Asio stygius*
  Tawny-bellied, see *Otus watsonii*
  Tropical Screech, see *Otus choliba*
  Western, see *Otus kennicottii*
Oxyura jamaicensis, 212, 382
Oystercatcher,
  American, see *Haematopus palliatus*
  Eurasian, see *Haematopus ostralegus*
Pacheco, M. A., 1–17
Palila, see *Loxioides bailleui*
Palmer, W. E., 372–375
Pandion haliaetus, 380
parasites, 232–238
Paroreomyza montana, 183–187
Parrot,
  Thick-billed, see *Rhynchopsitta pachyrhyncha*
Parrotlet,
  Green-rumped, see *Forpus passerinus*
Parus caeruleus, 401
P. major, 155, 281–287, 401
P. palustris, 297
Passer domesticus, 114
Passerina cyanea, 51–52
Penguin,
  Adélie, see *Pygoscelis adeliae*
Pennsylvania, 32, 200
Peterson, B. L., 89–95
Petrochelidon pyrrhonota, 117
Petroica traversi, 183
Pewee,
  Crescent-eyed (Cuban), see *Contopus caribaeus*
  Greater, see *Contopus pertinax*
Phaeornis palmeri, 183
Philesturnus carunculatus, 183
Phoebe,
  Eastern, see *Sayornis phoebe*
Phoenicuros ochruros, 297, 301
Pica nuttalli, 50
P. pica (hudsonia), 49–50, 377, 380, 381
Picoides borealis, 74–78, 101
P. tridactylus, 259
P. villosus, 22, 259
Pierce, A., 18–30
Pigeon,
  White-crowned, see *Columba leucocephala*
  Wood, see *Columba palumbus*
Pintail,
  Northern, see *Anas acuta*
Pipilo erythrophthalmus, 51, 297, 298, 301
Pipit,
  Rock, see *Anthus spinoletta*
Piranga olivacea, 31, 32, 33, 34, 35, 36, 37
Pitcher, T. E., 113–122
Placyk, J. S., Jr., 223–231
Plegadis chihi, 382, 383
Plover,
  Black-bellied, see *Pluvialis squatarola*
  Piping, see *Charadrius melodus*
  Semipalmated, see *Charadrius semipalmatus*
Pluvialis spp. 135
Pluvialis apricaria, 135, 405
P. dominica, 135
P. fulva, 134–135

P. squatarola, 135, 227, 228
Pochard,
Common, see *Aythya ferina*
Podolsky, A. L., 296–302
Poecile atricapillus, 360
point count/monitoring, 123–133
Polioptila caerulea, 22, 340, 341
P. lembeyei, 141–142, 144
Poospiza ornata, 366
P. torquata, 366
Po'ouli, see *Melamprosops phaeosoma*
Porneluzi, P. A., 123–133
Porter, J. H., 317–329
Power, H. W., 304–403
predators, 40–48, 89–95, 337–344, 364–371, 376–385, 404–408
Prunella collaris, 297
Pseudoseisura lophotes, 369
Ptarmigan,
Vancouver Island White-tailed, see *Lagopus leucurus saxatilis*
White-tailed, see *Lagopus leucurus*
Pteroptochos castaneus, 189
Puaiohi, see *Phaeornis palmeri*
Pulsatrix perspicillata, 176–182
Pygmy-Owl,
Amazonian, see *Glaucidium ardí (minutissimum)*
Cuban, see *Glaucidium siju*
Ferruginous, see *Glaucidium brasilianum*
Pygoscelis adeliae, 401
Pyle, P., 136–145
Quail,
Japanese, see *Coturnix japonica*
Mountain, see *Oreortyx pictus*
Quiscalus quiscula, 116, 117, 118, 122
Quse, L., 364–371
radio telemetry, 330–336
Randler, C., 404–408
Raven,
Common, see *Corvus corax*
Recurvirostra americana, 376–385
R. avosetta, 382
Redhead, see *Aythya americana*
Redstart,
Black, see *Phoenicuros ochruros*
rehabilitation, 157–164, 183–187
Reynolds, R. T., 192–195
Rhynchopsitta pachyrhyncha, 96–103
Riparia riparia, 399, 401
Roadrunner,
Greater, see *Geococcyx californianus*
Roberts, S. E., 79–88
Robichaud, W., 386–393
Robin,
American, see *Turdus migratorius*
Chatham Island Black, see *Petroica traversi*
European, see *Erithacus rubecula*
Rodewald, A. D., 31–39
Rogers, D. I., 157–164
roost, 67–73
Rose, K., 330–336
Rounds, R. A., 317–329
Rudolph, D. C., 74–78
Rynchops niger, 317–329
Saddleback,
New Zealand, see *Philesturnus carunculatus*
Saenz, D., 74–78
San Salvador Island (Bahamas), 18–30
Sanderling, see *Calidris alba*
Sandpiper,
Least, see *Calidris minutilla*
Semipalmated, see *Calidris pusilla*
Spotted, see *Actitis macularia*
Sapsucker,
Red-naped, see *Sphyrapicus nuchalis*
Williamson's, see *Sphyrapicus thyroideus*
Saurothera merlini, 22, 138
Sayornis phoebe, 155, 168
Scaup,
Greater, see *Aythya marila*
Lesser, see *Aythya affinis*
Scelorchilus rubecula, 189
Schaefer, R. R., 74–78
Scheibler, D. R., 218–222
Scoter,
Black, see *Melanitta nigra*
White-winged, see *Melanitta fusca*
Scrub-Jay,
Florida, see *Aphelocoma coerulescens*
Western, see *Aphelocoma californica*
Scytalopus magellanicus, 189
Sealy, S. G., 113–122, 165–171
Seiurus aurocapillus, 31, 32, 33, 34, 36, 37, 123–133, 296–302
S. noveboracensis, 79–88
Serinus canarius, 368
Shoveler,
Northern, see *Anas clypeata*
Shutler, D., 353–358
Shutler, R. W., 353–358
Sialia currucoides, 297
S. mexicana, 257–265
Siegel, R. B., 136–145
Sierra Madre Occidental (Mexico), 96–103
Simonetti, J. A., 188–191
Simons, T. R., 296–302
Sitta pusilla, 27
Skimmer,
Black, see *Rynchops niger*
Somateria fischeri, 212
S. mollissima, 114, 212
S. spectabilis, 212, 214
S. stelleri, 212
song, 51–52, 146–151
Sordahl, T. A., 376–385
Spain, 282
Sparklin, B., 183–187
Sparrow,
Bachman's, see *Aimophila aestivalis*
Black-throated, see *Amphispiza bilineata*
Brewer's, see *Spizella breweri*
Chipping, see *Spizella passerina*
Clay-colored, see *Spizella pallida*
Field, see *Spizella pusilla*
Five-striped, see *Aimophila quinguestriata*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Lincoln's, see *Melospiza lincolnii*

Song, see *Melospiza melodia (M. m. euphonia, M. m. melodia, M. m. morphna)*
Swamp, see *Melospiza georgiana*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
Sparrow, I., 157–164
sperm, 394–403
Sphyrapicus nuchalis, 259
S. thyroideus, 259
Spindalis zena, 22
Spizella breweri, 309
S. pallida, 116, 117, 118, 122
S. passerina, 362
S. pusilla, 51
Stake, M. M., 337–344
Stanton, T. P., 51–52
Starling,
European, see *Sturnus vulgaris*
Stercorarius parasiticus, 41
Sterna caspia, 379, 380, 381
S. hirundo, 317–329
S. nilotica, 317–329
S. paradisaea, 214
Stilt,
Black-necked, see *Himantopus mexicanus*
Stint,
Red-necked, see *Calidris ruficollis*
Strix huhula, 176–182
S. nebulosa, 193
S. occidentalis caurina, 193, 194
S. varia, 193
S. virgata, 177, 178
Sturnella neglecta, 290
Sturnus vulgaris, 117, 297, 330–336
Swallow,
Bank, see *Riparia riparia*
Barn, see *Hirundo rustica*
Cliff, see *Petrochelidon pyrrhonota*
Red-rumped, see *Hirundo daurica*
Tree, see *Tachycineta bicolor*
Violet-green, see *Tachycineta thalassina*
Swan,
Mute, see *Cygnus olor*
Trumpeter, see *Cygnus buccinator*
Tundra, see *Cygnus columbianus*
Whooper, see *Cygnus cygnus*
Tachycineta bicolor, 168, 200, 232–238, 353–358, 394–403
T. thalassina, 263
Taeniopygia guttata, 400
Tanager,
Scarlet, see *Piranga olivacea*
Stripe-headed, see *Spindalis zena*
Tapaculo,
Andean, see *Scytalopus magellanicus*
Chucao, see *Scelorchilus rubecula*
Ochre-flanked, see *Eugralla paradoxa*
Teal,
Blue-winged, see *Anas discors*
Cinnamon, see *Anas cyanoptera*
Green-winged, see *Anas crecca*
Tennessee, 298
Teretistris fornsi, 142–143, 144
Tern,
Arctic, see *Sterna paradisaea*
Caspian, see *Sterna caspia*
Common, see *Sterna hirundo*
Gull-billed, see *Sterna nilotica*
territorial defense, 288–295
Texas, 75, 337–344
Thompson, F. R., III, 337–344
Thorpe, P. A., 394–403
Thrasher,
Brown, see *Toxostoma rufum*
Pearly-eyed, see *Margarops fuscatus*
Thrush,
Red-legged, see *Turdus plumbeus*
Wood, see *Hylocichla mustelina*
Thryothorus ludovicianus, 297
Tiaris bicolor, 22
T. canora, 143
T. olivacea, 143–144
timing of breeding, 1–17
Tit,
Blue, see *Parus caeruleus*
Great, see *Parus major*
Marsh, see *Parus palustris*
Todus multicolor, 139–140
Tody,
Cuban, see *Todus multicolor*
Tomás, G., 281–287
Towhee,
Eastern, see *Pipilo erythrophthalmus*
Toxostoma rufum, 116, 117, 118, 122, 168
translocation, 183–187
Tringa melanoleuca, 227, 228
Troglodytes aedon, 116, 117, 118, 122, 297
Turdus grayi, 144
T. migratorius, 114, 116, 117, 118, 119, 122, 144, 300
T. plumbeus, 22, 142, 144
T. p. rubripes, 142
T. p. schistaceus, 142
Turkey,
Wild, see *Meleagris gallopavo*
Turnstone,
Ruddy, see *Arenaria interpres*
Tyrannus caudifasciatus, 22
T. tyrannus, 116, 117, 122
T. verticalis, 168
Tyto alba, 23, 193, 221
Underwood, T. J., 165–171
Utah, 377
van Riper, C., III, 303–311
van Tienen, 196–199
Vancouver Island (British Columbia), 53–66, 239–256
V. vanellus, 405
Veery, see *Catharus fuscescens*
Velásquez, A., 345–352
Veléz, P., 136–145
Venezuela (Llanos), 1–17
Vergara, P. M., 188–191
vigilance, 404–408
Vireo atricapillus, 309, 338, 341
V. bellii pusillus, 89–95
V. crassirostris, 22, 27
V. gilvus, 116, 117, 122
V. gundlachii, 141
V. olivaceus, 31, 32, 33, 34, 35, 36, 37, 51

V. plumbeus, 169
Vireo,
Black-capped, see *Vireo atricapillus*
Cuban, see *Vireo gundlachii*
Least Bell's, see *Vireo bellii pusillus*
Plumbeous, see *Vireo plumbeus*
Red-eyed, see *Vireo olivaceus*
Thick-billed, see *Vireo crassirostris*
Warbling, see *Vireo gilvus*
Virginia, 51, 317–329
vocalizations, 51–52, 146–151, 176–182, 288–295, 345–352, 359–363
Vulture,
Turkey, see *Cathartes aura*
Warbler,
Cerulean, see *Dendroica cerulea*
Golden-cheeked, see *Dendroica chrysoparia*
Hooded, see *Wilsonia citrina*
Kirtland's, *Dendroica kirtlandii*
Olive-capped, see *Dendroica pityophila*
Oriente, see *Teretistris fornsi*
Pine, see *Dendroica pinus*
Prairie, see *Dendroica discolor*
Seychelles, see *Acrocephalus sechellensis*
Worm-eating, see *Helmitheros vermivorus*
Yellow, see *Dendroica petechia*
Warbling-Finch,
Cinnamon, see *Poospiza ornata*
Ringed, see *Poospiza torquata*
Warkentin, I. G., 79–88
Waterthrush,
Northern, see *Seiurus noveboracensis*
Waxwing,
Cedar, see *Bombycilla cedrorum*
West Indian birds, 18–30
West Gulf Coastal Plain (Louisiana, Texas), 74–78
Wheatear,
Northern, see *Oenanthe oenanthe*
White-eye,
Japanese, see *Zosterops japonica japonica*
Wigeon,
American, see *Anas americana*
Eurasian, see *Anas penelope*
Wilkerson, R. L., 136–145
Wilsonia citrina, 200–202
Willet, see *Catoptrophorus semipalmatus*
Wisconsin, 386–393
Wood-Partridge,
Buffy-crowned, see *Dendrortyx leucophrys*
Long-tailed, see *Dendrortyx macroura*
Wood-Pewee,
Eastern, see *Contopus virens*
Western, see *Contopus sordidulus*
Woodpecker,
Acorn, see *Melanerpes formicivorus*
Cuban Green, see *Xiphidiopicus percussus*
Hairy, see *Picoides villosus*
Imperial, see *Campephilus imperialis*
Pileated, see *Drycopus pileatus*
Red-cockaded, see *Picoides borealis*
Three-toed, see *Picoides tridactylus*
West Indian, see *Melanerpes superciliaris*
Woodstar,
Bahama, see *Calliphlox evelynae*
Woolfenden, G. E., 49–50
Woolnough, A. P., 330–336
Wren,
Cactus, see *Campylorhynchus brunneicapillus*
Carolina, see *Thryothorus ludovicianus*
House, see *Troglodytes aedon*
Xanthocephalus xanthocephalus, 116, 117, 118, 122
Xema sabini, 214
Xiphidiopicus percussus, 140
Yellowlegs,
Greater, see *Tringa melanoleuca*
Yellowthroat,
Bahama, see *Geothlypis rostrata*
Common, see *Geothlypis trichas*
Young, J. R., 239–256
Zenaida aurita, 23, 26
Z. macroura, 23
Zonotrichia albicollis, 362
Z. leucophrys, 114
Zosterops japonica japonica, 183, 186
Zysik, J., 18–30